


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CH'D -01 FINISH SPEC, ADDED ENGRAVE NOTE PER R.W. CH'D -03 FINISH SPEC PER R.W. CH'D -03 HOLE FROM Ø.323 S.F. -05 PER S.E. CH'D FINISH SPEC PER R.W.	5/4/11	RJC	



NOTES




1. RBW6305G11731-3G REPLACES 3G6305G11731, AND IS ALSO SOLD WITH KIT RBW6305G03531.

ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
			-01	1	BODY	1018	1-1/4 x 3-1/2 x 6-1/2	2
			-03	1	PUSHER	4140 Q&T	Ø1-7/8 x 4-7/8	3
			-05	2	LUG	1018	Ø5/8 x 2-5/8	4
		B/O	-07	1	HANDLE SHAFT	STEEL	REID #GLS-35	1
		B/O	-09	2	KNOB	PLASTIC	REID #BD-7	1
		B/O	-11	1	HEX NUT	PLATED Gr.8 STEEL	3/4-16 UNF MCMaster-CARR #94895A840	1
		B/O	-13	1	FLAT WASHER	S.S.	Ø3/4 I.D. MCMaster-CARR #98017A220	1
	ASSY #							


RED BARN MACHINE	
TITLE PUSHER, MGB INPUT FLANGE INSTALLER	
DWG & KIT NO. RBW6305G11731-3G	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS 1/32 ANGLES ± 5°	
DRAWN BY: PERRITT APPROVED: <i>D Weil</i> HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES 015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
USED ON MODEL AGUSTA	
SCALE NTS	DATE 5-11-10
SHEET 1 of 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CH'D -01 FINISH SPEC, ADDED ENGRAVE NOTE PER R.W.	5/4/11	RJC	




(-01)
PUSHER BODY

 RED BARN MACHINE	
TITLE PUSHER, MGB INPUT FLANGE INSTALLER	
DWG No. RBW6305G11:731-3G-01	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 X ± .1	
METRIC REF. .XXmm ± .1mm FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: PERRITT APPROVED: <i>D Weil</i> HEAT TREAT FINISH CAD PLATE YELLOW SPEC QQ-P-416F, TYPE II, CLASS II USED ON MODEL AGUSTA	
SCALE NTS	DATE 5-11-10
SHEET 2 of 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CH'D -03 FINISH SPEC PER R.W. CH'D -03 HOLE FROM Ø.323 S.F. -05 PER S.E.	5/4/11	RJC	



(-03)


PUSHER

NOTE:
SOME HIDDEN LINES OMITTED FOR CLARITY.


RED BARN MACHINE	
TITLE PUSHER, MGB INPUT FLANGE INSTALLER	
DWG No. RBW6305G11731-3G-03	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	METRIC REF.
.XXX ± .005	.Xmm ± .1mm
.XX ± .01	FRACTIONS ± 1/32
X ± .1	ANGLES ± 5°
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES 015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: PERRITT	
APPROVED: <i>D Weil</i>	
HEAT TREAT	
FINISH CAD PLATE YELLOW	
SPEC QQ-P-416F, TYPE II, CLASS II	
USED ON MODEL	
AGUSTA	
SCALE NTS	DATE 5-11-10
SHEET 3 of 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CH'D FINISH SPEC PER R.W.	5/4/11	RJC	



-05
LUG

 RED BARN MACHINE	
TITLE PUSHER, MGB INPUT FLANGE INSTALLER	
DWG No. RBW6305G11731-3G-05	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 X ± .1 METRIC REF. .Xmm ± .1mm FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 5-11-10
SHEET 4 of 4	